

COSHH ASSESSMENT. Hazard Level

High  Medium  Low 

PRODUCT: Deadline Liquid Concentrate. Medium 

1	TRADE NAME	Deadline Liquid Concentrate
2	ACTIVE INGREDIENT	Bromadiolone 0.1% Monopropylene glycol* /propane-1,2-diol >50 10.0 Bitrex* / dnatonium benzoate 2.5
3	PURPOSE	For use by professional operators for the control of rats and mice after appropriate dilution with either water or other suitable bate bases.
4	APPEARANCE	A Blue Rodenticidal liquid-concentrate with no perceptible odor
5	HAZARD	Harmful by inhalation, in contact with skin and if swallowed
6	HANDLING / USAGE	Keep product in original container. Do not handle the product near food, animal feedstuffs and drinking water. Keep out of reach of children. Wash hands and exposed skin before meals and after use, avoid all contact with mouth.
7	MIXING	Dilute with water or other suitable bate base.
8	APPLICATION	After mixing the product should be placed in open containers that are not accessible to none target species. Contained liquid feeders can also be used.
9	RESTRICTIONS	This product is classified as harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment.
10	PPE	Gloves, overalls, goggles
11	RPE	Respirator with P3 filter
12	ROUTES OF ABSORBTION	Inhalation, Ingestion, Eyes, Skin Contact
13	WEL (workplace exposure limit)	Not on EH40 List.
14	FIRST AID MEASURES	Eyes – Rinse affected eye with clean running water, or eyewash solution, for at least 15 minutes holding eyelids well apart. Rinse entire surface and do not allow run-off to contaminate unaffected eye. Seek medical attention. Skin – Remove and wash contaminated clothing immediately. Wash affected area thoroughly with soap and water. Seek medical advice. Ingestion – Do NOT induce vomiting. If unconscious place in the recovery position and apply supportive measures if necessary. If conscious give patient up to ½ litre or 1 pint of water to drink. Seek medical attention. Inhalation – Keep patient warm and roused. Urgently seek medical advice. Antidote: VITAMIN K1 Inhalation Remove patient to fresh air, keep warm and at rest. Apply supportive measures if necessary and seek medical attention.
15	FIRE	Use carbon dioxide, foam, water, or dry powder extinguishers. Wear suitable personal protective equipment Combustion or thermal decomposition may evolve toxic and irritant vapours
16	STORAGE	Store in original container. If decanted, container must be labelled. Product must only be stored in PESTPROOF LTD vehicle or PESTPROOF LTD stores
17	TRANSPORT	Product must be transported in the pesticide storage area of company van or in a sealed container. Container must have lid fitted and be secured to avoid spillage. Container must be carried in specialist's holdall and not left unattended at any time.
18	SPILLAGE	Sweep up any spillage and remove to a safe place and burn or bury. If preparation has entered water course or sewer or contaminated soil or vegetation, advise police.
19	WASTE DISPOSAL	Remove and dispose of in accordance with company procedures for the disposal of waste rodenticide. Dispose of as hazardous waste in accordance with local regulations.
20	MANUFACTURER	Rentokil
21	HSE NUMBER	
22	OTHER INFORMATION	ALWAYS READ THE LABEL BEFORE USE

PESTPROOF

Pest control & proofing specialists

Author of document
Mark Sheldon

Ref PP 30 June 2009

Mitre Street, off Crown Street,
Failsworth, Manchester M35 9BY
Tel No: 0161-684-9451
Fax No: 0161-947-0485

23	SIGNED	
	NAME POSITION	Mark Sheldon Company Field Biologist