

COSHH ASSESSMENT. Hazard Level

High  Medium  Low PRODUCT: Sorexal Brodifacoum Bait Blocks. Medium 

| | | |
|----|--------------------------------|--|
| 1 | TRADE NAME | Sorexal Brodifacoum Bait Blocks |
| 2 | ACTIVE INGREDIENT | Brodifacoum 0.002% |
| 3 | PURPOSE | A ready to use rodenticide bait for the control of rats and mice. (Indoors Only) |
| 4 | APPEARANCE | Purple Wax Bound Block 20g. |
| 5 | HAZARD | Toxic, Dangerous to the Environment Hazardous by ingestion avoid contact with mouth and skin |
| 6 | HANDLING / USAGE | Avoid all contact by mouth, wash hands and exposed skin before eating, drinking or smoking and after work. Do not lay bait where food, feed or water could not become contaminated. Prevent access to the bait by children and animals, particularly dogs and birds. Do not place on rubbish tips or in refuse bins. Read the label before use. |
| 7 | MIXING | Ready to use product. Do not mix |
| 8 | APPLICATION | For use as a rodenticide indoors. |
| 9 | RESTRICTIONS | Must not be used outside. |
| 10 | PPE | No special clothing required. |
| 11 | RPE | None required |
| 12 | ROUTES OF ABSORPTION | Ingestion |
| 13 | WEL (workplace exposure limit) | Not on EH40 List. |
| 14 | FIRST AID MEASURES | Eyes: Wash out immediately by irrigating the eye for at least 15 minutes. Seek Medical attention Skin: Adverse effects are unlikely by this route. Inhalation: Keep person calm. Remove patient from exposure and into fresh air Immediately. Ingestion: Do Not INDUCE VOMITTING, rinse out mouth and seek medical Attention. Antidote: VITAMIN K1 |
| 15 | FIRE | Wear self-contained breathing apparatus. Use agent appropriate to nature of fire. Avoid run off into water courses to prevent contamination. |
| 16 | STORAGE | Store in original container with lid fitted tightly. If decanted, container must be labelled. Product must only be stored in PESTPROOF LTD vehicle or PESTPROOF LTD stores. |
| 17 | TRANSPORT | Product must be transported in the pesticide storage area of company van or in a sealed container. Container must have lid fitted and be secured to avoid spillage. Container must be carried in specialist's holdall and not left unattended at any time. |
| 18 | SPILLAGE | Clean up immediately. Sweep spillage into a closed container for safe disposal. Wash spill area with detergent and water. |
| 19 | WASTE DISPOSAL | Remove and dispose of in accordance with company procedures for the disposal of waste rodenticide. |
| 20 | MANUFACTURER | BASF |
| 21 | HSE NUMBER | 6705 |
| 22 | OTHER INFORMATION | ALWAYS READ THE LABEL BEFORE USE |
| 23 | SIGNED | |
| | NAME POSITION | Mark Sheldon Company Field Biologist |