

COSHH ASSESSMENT. Hazard Level

High  Medium  Low 

PRODUCT: Maxforce Quantum Gel  Medium

1	TRADE NAME	Maxforce Quantum
2	ACTIVE INGREDIENT	Imidacloprid 0.03%
3	PURPOSE	Used for the rapid control of a variety of ants the formulation is especially efficacious against Pharaoh Ant (<i>Monomorium Pharaonis</i>) Black Garden Ant (<i>Lasius niger</i>) Ghost Ant (<i>Tapinoma melanocephalum</i>) Argentine Ant (<i>Linepithema humile</i>).
4	APPEARANCE	Highly viscous gel colorless to yellowish
5	HAZARD	No hazardous reactions when stored and handled according to prescribed instructions.
6	HANDLING / USAGE	Use only in areas provided with appropriate exhaust ventilation. Remove soiled Clothing immediately and clean thoroughly before re-use. Wash hands before Breaks and at the end of the day. Avoid contact with skin, eyes and clothing. Read the label before use.
7	MIXING	Ready to use product. DO NOT MIX
8	APPLICATION	To be applied directly from original container. Fit cartridge to applicator and Apply directly to treatment surface or into a bait station. Apply out of reach of children and domestic animals. When treatment has been completed remove the empty cartridge and dispose of safely. Part used cartridges should be sealed with the end cap provided.
9	RESTRICTIONS	For use only as an insecticide.
10	PPE	Nitrile Rubber Gloves
11	RPE	N/A
12	ROUTES OF ABSORPTION	Ingestion
13	WEL (workplace exposure limit)	Not on EH40 List.
14	FIRST AID MEASURES	Eyes - remove contact lens rinse thoroughly with water; seek medical advice if irritation persists. Skin - Wash off immediately with soap and water. Ingestion - Induce vomiting only, if 1. Patient is fully conscious. 2 Medical aid is not readily available. 3 a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour(Vomit should not get into the respiratory tract.) Rinse mouth out call a physician immediately. Inhalation - Move the patient to fresh air. Keep at rest.
15	FIRE	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
16	STORAGE	Store in original container. Replace lid tightly after use. If decanted, container must be labeled. Product must only be stored in PESTPROOF LTD vehicle or PESTPROOF LTD stores.
17	TRANSPORT	Product must be transported in the pesticide storage area of company van or in a sealed container. Container must have lid fitted and be secured to avoid spillage. Product must be carried in service specialist's holdall and not left unattended at any time.
18	SPILLAGE	Avoid contact with spilled product or contaminated surfaces. Wear PPE. Take up in absorbent material, keep in suitable closed container until disposal. Clean contaminated floors and objects thoroughly, ensuring product is not discharged into watercourses.
19	WASTE DISPOSAL	Remove and dispose of in accordance with company procedures for the disposal of waste pesticide. Dispose of as hazardous waste in accordance with local regulations.
20	MANUFACTURER	Bayer Environmental Science
21	HSE NUMBER	888
22	OTHER INFORMATION	ALWAYS READ THE LABEL BEFORE USE
23	SIGNED	
	NAME POSITION	Mark Sheldon Company Field Biologist